BBA

Gene Structure and Expression

Vol. 1088, 1991

Cumulative Contents

Information for Contributors ix

Reviews

RNA polymerase III transcription of genes that lack internal control regions
G.R. Kunkel (U.S.A.) 1

Properties of DNA polymerases δ and ε, and their roles in eukaryotic DNA replication
R.A. Bambara and C.B. Jessee (U.S.A.) 11

Regular Papers

Immunologically-related nucleic acid-binding proteins associated with the nuclear matrix of *Physarum polycephalum*
E.M. Denovan-Wright and J.M. Wright (Canada) 25

Regulation of *glpD* and *glpE* gene expression by a cyclic AMP-cAMP receptor protein (cAMP-CRP) complex in *Escherichia coli*
Y.-L. Choi, S. Kawase, M. Kawamukai, H. Sakai and T. Komano (Japan) 31

Topoisomerase I in actively growing plasmodia and during differentiation of the slime mold *Physarum polycephalum*
K. Staron, B. Kowalska-Loth, R.M. Czerwinski, J. Bandorowska and J. Guberska (Poland) 36

Possible involvement of pertussis toxin-sensitive GTP-binding protein(s) in c-*fos* expression during differentiation of 3T3-L1 fibroblasts to adipocytes
T. Uehara, T. Chihara, Y. Tokumitsu and Y. Nomura (Japan) 41

Molecular cloning of porcine α_1-microglobulin/HI-30 reveals developmental and tissue-specific expression of two variant messenger ribonucleic acids
A. Tavakkol (U.S.A.) 47

Intermolecular hybridization of 5S rRNA with 18S rRNA: Identification of a 5′-terminally-located nucleotide sequence in mouse 5S rRNA which base-pairs with two specific complementary sequences in 18S rRNA
K.D. Sarge and E.S. Maxwell (U.S.A.) 57

Preferential deadenylation of *Sarcophaga* lectin mRNA during its acute phase expression
R. Nanbu, T. Kubo, K. Ueno and S. Natori (Japan) 71

Expression of the hypoxanthine phosphoribosyl transferase gene in resting and growth-stimulated human lymphocytes
A.-M. Steen, S. Sahlén and B. Lambert (Sweden) 77

A class of amphipathic proteins associated with lipid storage bodies in plants. Possible similarities with animal serum apolipoproteins
D.J. Murphy, J.N. Keen, J.N. O'Sullivan, D.M.Y. Au, E.-W. Edwards, P.J. Jackson, I. Cummins, T. Gibbons, C.H. Shaw and A.J. Ryan (U.K.) 86

Primary structure of pregnancy zone protein. Molecular cloning of a full-length PZP cDNA clone by the polymerase chain reaction
K. Devriendt, H. Van den Berghe, J.-J. Cassiman and P. Marynen (Belgium) 95

High-efficiency gene transfection by in situ electroporation of cultured cells
Q. Zheng and D.C. Chang (U.S.A.) 104

Homologous and heterologous regulation of 1,25-dihydroxyvitamin D-3 receptor mRNA levels in human osteosarcoma cells
A. Mahonen, A. Pirskanen and P.H. Mäenpää (Finland) 111

Localization and characterization of a temporally regulated promoter from the *Streptomyces aureofaciens* 2201 plasmid pSA 2201
M. Farkašovský, J. Kormanec and M. Kollárová (Czechoslovakia) 119

Reports

Regulation of the inducible nitrate reductase isoform from Soybeans
J.J. Callaci and J. Smarrelli, Jr. (U.S.A.) 127

In vivo electroporation and stable transformation of skin cells of newborn mice by plasmid DNA
A.V. Titomirov, S. Sukharev and E. Kistanova (U.S.S.R.) 131

Optimized conditions for electrotransformation of bacteria are related to the extent of electropermeabilization
S. Sixou, N. Eynard, J.M. Escoubas, E. Werner and J. Teissié (France, F.R.G.) 135

Protein–RNA interactions in 20S U5 snRNPs
M. Bach and R. Lührmann (F.R.G.) 139

Short Sequence-Papers

A 27-bp deletion is responsible for the expression of a variant CABP1, a cyclic AMP-binding protein of *Dictyostelium discoideum*
C. Bonfils, J. Hébert and A. Tsang (Canada, U.S.A.) 145

Characterization of the *Pseudomonas aeruginosa* transposable phage D3112 left-end regulatory region
C. Autexier, S. Wragg-Légaré and M.S. DuBow (Canada) 147

Isolation of an active gene and of two pseudogenes for mouse U7 small nuclear RNA
A. Gruber, D. Soldati, M. Burri and D. Schümperli (Switzerland) 151

Reviews

Cell-type-specific transcription in yeast
J.W. Dolan and S. Fields (U.S.A.) 155

The glucocorticoid receptor
M. Muller and R. Renkawitz (F.R.G.) 171

Regular Papers

Expression in *Escherichia coli* of *c*-type cytochrome genes from *Rhodopseudomonas viridis*
R. Grisshammer, C. Oeckl and H. Michel (F.R.G.) 183

Inhibitory action of phospholipid-interacting drugs on transcription initiation in a nuclear extract of Ehrlich ascites tumor cells
H. Hirai, S. Natori and K. Sekimizu (Japan) 191

Isolation and characterization of a human cDNA encoding uracil-DNA glycosylase
S.J. Muller and S. Caradonna (U.S.A.) 197

Prenatal and postnatal expression of mRNA coding for rat prothrombin
C.S. Jamison and S.J. Friezner Degen (U.S.A.) 208

High level expression of human proteins in murine hybridoma cells: induction by methotrexate in the absence of gene amplification
K.-M. Lo and S.D. Gillies (U.S.A.) 217

Cloning and characterization of an amidase gene from *Rhodococcus* species N-774 and its expression in *Escherichia coli*
Y. Hashimoto, M. Nishiyama, O. Ikehata, S. Horinouchi and T. Beppu (Japan) 225

Classes of autonomously replicating sequences are found among early-replicating monkey DNA
S. Landry and M. Zannis-Hadjopoulos (Canada) 234

The cDNA sequence of a neutral horseradish peroxidase
E. Bartonek-Roxå, H. Eriksson and B. Mattiasson (Sweden) 245

A limited number of *Bacillus subtilis* strains carry a tetracycline-resistance determinant at a site close to the origin of replication
H. Amano, C.L. Ives, K.F. Bott and K. Shishido (Japan, U.S.A.) 251

Quantitative analysis of carbodiimide modified DNA and immunoprobing by adduct specific antibodies
A.A. Wani and E.F. Yamasaki (U.S.A.) 259

Potentiation of DNA mediated gene transfer in NIH3T3 cells by activators of protein kinase C
J.T. Reston, S. Gould-Fogerite and R.J. Mannino (U.S.A.) 270

Cloning of genomic and complementary DNA encoding insect pheromone binding proteins: evidence for microdiversity
J. Krieger, K. Raming and H. Breer (F.R.G.) 277

Evidence that a protein kinase enhances amsacrine mediated formation of topoisomerase II-DNA complexes in murine mastocytoma cell nuclei
S.J. Darkin-Rattray and R.K. Ralph (New Zealand) 285

Cloning and sequencing of the gene cluster encoding two subunits of membrane-bound alcohol dehydrogenase from *Acetobacter polyoxogenes*
T. Tamaki, M. Fukaya, H. Takemura, K. Tayama, H. Okumura, Y. Kawamura, M. Nishiyama, S. Horinouchi and T. Beppu (Japan) 292

Reports

Synthesis of γ-[4-(benzoylphenyl)methylamido]-7-methylguanosine 5′-triphosphate, a photoaffinity-label for cap-binding proteins
E. Thalmann and D. Blaas (Austria) 301

A nuclease from rat-liver nuclei with endo- and exonucleolytic activity
Y. Hibino, N. Iwakami and N. Sugano (Japan) 305

Short Sequence-Papers

Identification of a third alternatively spliced cDNA encoding the catalytic subunit of protein phosphatase 2Bβ
A.E. McPartlin, H.M. Barker and P.T.W. Cohen (U.K.) 308

Cloning of the cDNA of α-momorcharin: a ribosome inactivating protein
W.K.K. Ho, S.C. Liu, P.C. Shaw, H.W. Yeung, T.B. Ng and W.Y. Chan (Hong Kong, U.S.A.) 311

Cloning and characterization of the carp prolactin gene
H.-T. Chen, C.-S. Chiou and W.-C. Chang (Taiwan, China) 315

cDNA and deduced amino acid sequences of a dog liver cytochrome *P*-450 of the IIIA gene subfamily

P.J. Ciaccio, P.E. Graves, D.P. Bourque, B. Glinsmann-Gibson and J.R. Halpert (U.S.A.) 319
Nucleotide sequence of the lipase gene *lip*3 from the antarctic psychotroph *Moraxella* TA144
G. Feller, M. Thiry and C. Gerday (Belgium) 323
cDNA and genomic DNA sequence of the 21.3 kDa subunit of NADH : ubiquinone reductase (complex I) from *Neurospora crassa*
U. Nehls, S. Hemmer, D.A. Röhlen, J.C. Van der Pas, D. Preis, U. Sackmann and H. Weiss (F.R.G.) 325

Editorial *v*

Review

The regulation of histone gene expression during the cell cycle
N. Heintz (U.S.A.) 327

Regular Papers

Importance of the O^6 position of guanine residues in the binding of DNA methylase to DNA
P.A. Hepburn and M.J. Tisdale (U.K.) 341
Potassium salts influence the fidelity of mRNA translation initiation in rabbit reticulocyte lysates: unique features of encephalomyocarditis virus RNA translation
R.J. Jackson (U.K.) 345
Fluctuation of gene expression for poly(ADP-ribose) synthetase during hemin-induced erythroid differentiation of human leukemia K562 cells and its reversion process
T. Tomoda, T. Kurashige, H. Yamamoto, S. Fujimoto and T. Taniguchi (Japan) 359
Serum has a differential effect on DNA replication in a human melanoma cell line cultured in methionine or 5′-deoxy-5′-methylthioadenosine
R.G. Liteplo and T.J. Jurewicz (Canada) 365
5-Azacytidine increases the total cellular copper content and basal level metallothionein mRNA accumulation of human Hep G2 cells
R. Foster, N. Jahroudi and L. Gedamu (Canada) 373
Constitutive expression of exogenous c-*myb* gene causes maturation block in monocyte-macrophage differentiation
H. Yanagisawa, T. Nagasawa, S. Kuramochi, T. Abe, Y. Ikawa and K. Todokoro (Japan) 380
A novel cDNA clone encoding a prolactin-like protein that lacks the two C-terminal cysteine residues isolated from bovine placenta
M. Tanaka, H. Minoura, H. Ushiro and K. Nakashima (Japan) 385
Inter-species complementation of a *rosy* deficiency in *Drosophila melanogaster*
M.-C. Tiveron, M. Houde, C. Vola, R. Hipeau-Jacquotte, P. Berreur and F. Brégégère (France) 390
Oligonucleotide cleavage by restriction endonucleases *Mva*I and *Eco*RII: a comprehensive study on the influence of structural parameters on the enzyme–substrate interaction
E.A. Kubareva, E.S. Gromova, C.-D. Pein, A. Krug, T.S. Oretskaya, D. Cech and Z.A. Shabarova (U.S.S.R., F.R.G.) 395
Analysis of cDNAs encoding the two subunits of crotoxin, a phospholipase A_2 neurotoxin from rattlesnake venom: the acidic non enzymatic subunit derives from a phospholipase A_2-like precursor
C. Bouchier, J.-C. Boulain, C. Bon and A. Ménez (France) 401
Singlet oxygen induced single-strand breaks in plasmid pBR322 DNA: the enhancing effect of thiols
T.P.A. Devasagayam, P. Di Mascio, S. Kaiser and H. Sies (F.R.G.) 409
cis-Diamminedichloroplatinum (II) modified chromatin and nucleosomal core particle probed with DNase I
J.J. Hayes and W.M. Scovell (U.S.A.) 413

Report

In vitro transcription analysis of the *Drosophila* tropomyosin and other muscle genes
J.B. Lichter and R.V. Storti (U.S.A.) 419

Short Sequence-Papers

Primary structure of a human protein kinase regulator protein
P.J. Nielsen (F.R.G.) 425
Sequence and expression of annexin VII of *Dictyostelium discoideum*
M. Greenwood and A. Tsang (Canada) 429
Isolation of the human cytochrome *P*-450 IIC8 gene: multiple glucocorticoid responsive elements in the 5′ region
C. Ged and P. Beaune (France) 433
Rat calpastatin has diverged primary sequence from other mammalian calpastatins but retains functionally important sequences
S. Ishida, Y. Emori and K. Suzuki (Japan) 436
The β subunit of casein kinase II: cloning of cDNAs from murine and porcine origin and expression of the porcine sequence as a fusion protein

B. Boldyreff, K. Piontek, I. Schmidt-Spaniol and O.-G. Issinger (F.R.G.) 439

Nucleotide sequence of the murine prothymosin α cDNA and its deduced primary and secondary protein structure
G. Schmidt and D. Werner (F.R.G.) 442

The primary structure of chicken ribosomal protein L5
N. Kenmochi, N. Maeda and T. Tanaka (Japan) 445

Characterization of the 3′ end of the pig sarcoplasmic/endoplasmic-reticulum Ca^{2+} pump gene 2
J.A. Eggermont, F. Wuytack and R. Casteels (Belgium) 448

Erratum 453

Cumulative Contents, Vol. 1088 455

Author Index 459